

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1(Currently Amended). A portable and collapsible cot, comprising:

a flexible planar surface layer; and

leg members for both cross-bracing and supporting the planar surface layer over a ground surface, the leg members being moveable between an assembled position and a folded position, where the assembled position fully supports weighted objects being placed on the planar surface layer, and the folded position has the cot in a collapsed position allowing the cot to become portable and easy to carry, the leg members include:

a first set of rods pivotably attached to one another for supporting a left side end of the cot that are moveable between a substantially crossed position while the cot is in the assembled position to a substantially parallel position while the cot is in a folded position;

a second set of rods pivotably attached to one another for supporting a right side end of the cot opposite the left side end, that are moveable between a substantially crossed position while the cot is in the assembled position to a substantially parallel position while the cot is in the folded position; and

vertical leg portions extending downward from each of the corners of the planar surface layer having an upper end that remains attached to each of the corners of the planar surface layer, and a bottom end which engages a corner footer when the cot is in the assembled position, and the bottom end disengages the corner footer when the cot is in the folded position.

Claim 2(Canceled).

Claim 3(Currently Amended). The cot of claim 21, wherein the leg members further include:

a middle set of rods for supporting a mid-portion of the cot located substantially midway between the left side end and the right side end, that are moveable between a substantially crossed position while the cot is in the assembled position to a substantially parallel position while the cot is in a folded position.

Claim 4(Canceled).

Claim 5(Currently Amended). The cot of claim 41, further comprising:

bendable-snapable members for connecting the bottom ends of the vertical leg portions to the corner footers.

Claim 6(Original). The cot of claim 5, wherein each of the bendable-snapable members include:

a longitudinal clip having one end fixably attached to a portion of each of the vertical leg portions above the bottom end of the vertical leg portions, the clip having an opposite end with a protruding pin for mateably engaging an opening in the corner footer for locking the cot in the assembled position, the pin end of the clip being bendable away from the corner footer for allowing the cot to be folded.

Claims 7-11(Canceled).

Claim 12(Original). The cot of claim 1, further comprising:

first straps along perimeter edges attached underneath the surface layer for enhancing strength of the surface layer to support the weighted object thereon.

Claim 13(Original). The cot of claim 12, first comprising:

second straps in a crossed pattern attached underneath the surface layer between the first straps attached to the perimeter edges.

Claim 14(Original). The cot of claim 1, further comprising:

flexible side walls attached to and extending upward from at least one perimeter edge from the surface layer.

Claim 15(Original). The cot of claim 14, wherein the side walls further include:

a left side wall attached to and extending upward from a left side perimeter edge of the surface layer;

a right side wall attached to and extending upward from a right side perimeter edge of the surface layer, opposite the left side wall; and

a rear side wall attached to and extending upward from a rear side perimeter edge of the surface layer located between the left side wall and the right side wall, wherein the left side wall, the right side wall, and the rear side wall keep the object on the surface layer from falling off the left, the right and rear side perimeter edges of the cot.

Claim 16(Original). The cot of claim 1, further comprising:

a removable canopy having ends attached to the corner edges of the cot.

Claim 17(Original). The cot of claim 16, further comprising:

a first upside down U-shaped support attached to and extending upward from one side of the cot; and

a second upside down U-shaped support attached to and extending upward from another side of the cot opposite the one side, wherein the first U-shaped support and the second U-shaped support hold the canopy in a fixed position above the cot.

Claim 18(Currently Amended). The cot of claim 15, further comprising: a

removable ~~hutch-like~~ compartment having ends attached to the sidewalls of the cot.

Claim 19(Currently Amended). The cot of claim 18, further comprising:

a first upside down U-shaped support attached to and extending upward from one side of the cot; and

a second upside down U-shaped support attached to and extending upward from another side of the cot opposite the one side, where in the first U-shaped support and the second -shaped support are connected by a strap to stabilize and hold the ~~hutch-like~~ compartment in a fixed position above the cot.

Claim 20(Currently Amended). The cot of claim 18, wherein the strap connecting the first U-shaped support and the second U-shaped support is positioned to support the top mid-section of the ~~hutch-like~~ compartment.

Claim 21(Currently Amended). The cot of claim 18, further comprising:
a means for fastening the sidewalls to the ~~hutch-like~~ compartment smoothly and securely.

Claim 22(Currently Amended). The cot of claim 21 wherein the ~~hutch-like~~ compartment is irremovably attached to the left sidewall and rear sidewall.

Claim 23(Currently Amended). The cot of claim 18, wherein the ~~hutch-like~~ compartment further includes:
lightweight, flexible closely woven fabric for at least one side and openly woven material for at least one side of the enclosure having a total of five sides.

Claim 24(Currently Amended). The cot of claim 23, wherein the ~~hutch-like~~ compartment further includes a front cover of openly woven material that is closed with zippers and fasteners to the left and right sidewalls to keep an occupant securely enclosed.

Claim 25(Currently Amended). The cot of claim 23, wherein the front cover of openly woven material is rolled vertically upward and held in an open, rolled position with fasteners to facilitate access to the interior of the ~~hutch-like~~ compartment.

Claim 26(Original). The cot of claim 15 wherein the surface layer is used as a stair step.

Claim 27(Original). The cot of claim 15 wherein the surface layer is used as a platform to assist individuals reach higher elevations.

Claim 28(Original). The cot of claim 1, further comprising:
a length of the assembled cot being approximately 46 inches long and a width of the assembled cot being approximately 24 inches wide.

Claim 29(Original). The cot of claim 1, further comprising:
an overall weight of up to approximately 15 pounds.

Claim 30(Original). The cot of claim 1, further comprising:
a carrying bag having dimensions of up to approximately 30 inches by
approximately 8 inches by approximately for carrying a folded up version of the cot
inside the bag.

Claim 31(New). A portable and collapsible cot, comprising:
a flexible planar surface layer; and
leg members for both cross-bracing and supporting the planar surface layer over a
ground surface, the leg members being moveable between an assembled position and a
folded position, where the assembled position is useful to fully support a weighted object
being placed on the planar surface layer, and the folded position has the cot in a collapsed
position allowing the cot to become portable and easy to carry;
a first pair of straps arranged in a cross pattern attached to front perimeter edges
underneath a front portion of the surface layer; and
a second pair straps arranged in a crossed pattern attached to rear perimeter edges
underneath a rear portion of the surface layer, the second pair of the crossed straps being
arranged adjacent to the first pair of the crossed straps, the first and the second pairs of
the crossed straps for enhancing strength of the surface layer to support the weighted
object thereon .

Claim 32(New). A portable and collapsible cot, comprising:

a flexible planar surface layer; and

leg members for both cross-bracing and supporting the planar surface layer over a ground surface, the leg members being moveable between an assembled position and a folded position, where the assembled position is useful to fully supports a weighted object being placed on the planar surface layer, and the folded position has the cot in a collapsed position allowing the cot to become portable and easy to carry; and

vertical leg portions extending downward from each of the corners of the planar surface layer having an upper end that remains attached to each of the corners of the planar surface layer, and a bottom end which engages a corner footer when the cot is in the assembled position, and the bottom end disengages the corner footer when the cot is in the folded position.